

MOTION CARDIO LINE 900

PERFORMANCE PACKAGE




- inductive charging via Qi-technology
- higher maximum power with motion cycle 900 (950 watts), motion relax 900 (950 watts), motion body 900 (550 watts), motion cross 900 (950 watts) and motion sprint 900 SL/SE (22 km/h)
- reduced initial load from 7 watts for motion cycle 900, motion relax 900 and motion body 600 (when using an external power supply)

CONNECT PACKAGE



- any available system integration
- use/configuration of RFID, NFC, compatible mobile devices, Bluetooth® Low Energy and barcode identification

PROGRAMME PACKAGE



- in addition to the standard (Quick, Watt, Pulse) these training programmes: Watt sensitive, Isokinetics, Therapy, Interval, K-Cal, Hill, Random, Distance
- IPN test, plus 5 additional tests with motion cycle 900
- full range of functions on motion balance system and serious games for motion cycle 900, motion relax 900 and motion cross 900

The **capacitive 7" touch display** convinces with a variety of views and enhanced visualizations of the training history. We have given great importance to the fact that the operation remains comprehensible. On the bike ergometer, recumbent bike and cross trainer, a display of the force distribution between the two sides of the body, our **motion balance light system** comes as a standard feature. The optional programme package extends the 3 standard training programmes with various intelligent add ons such isokinetic training, intervals, tests on the cycle ergometer, programme memory and serious games for certain products.

Less visible, but important in today's daily training routine, is the connectivity of the **new control unit**, which we put a lot of attention to during the development of the console. Here, **RFID** identification as well as **NFC** and **barcode** identification is possible. Just like the identification, data transmission to the training control systems can be done in a variety of ways, making it easy to implement the devices wirelessly. One of the new connection options is to hook up to a smartphone or tablet, which can exchange data with a database or visualize data via an **app**.

In order to make configuration easy, we have developed three equipment packages for our various monitor functions:

motion cardio line 900

MOTION CARDIO LINE 900

With our new line of equipment we solve an old problem in a comfortable way. Interference of the pulse rate by external interferences or other users! We can use the new Polar® auto connection function even without a PC in the device and still mains independent to establish a connection between the training device and the Polar belt. We use the familiar 5 kHz coil for identification and then automatically switch to interference-free Bluetooth® transmission. The important thing for your setup, in addition to the accurate and interference-free transmission, is that it does not require any manual coupling or decoupling, so that users do not have to be trained on the handling. In addition the previous chest straps from Polar with 5 kHz technology are still compatible. Once the Polar® belt is linked to the device, the new connection also allows the transmission of other parameters, such as pulse rate, heart rate variability, and soon also respiration rate. Of course, we are already working on solutions for using these new parameters for control purposes.

motion cardio line 900



heart rate range
rpm indication
motion balance light system




MOTION CARDIO LINE 900

The monitor itself shines with its simple menu navigation and clear display of the training progress. We want to continue to focus on good training and not on entertainment, which can nowadays be supplemented by mobile devices if required.

If mobile devices are used, they can also be linked to the device using a suitable app and training parameters can be transmitted. The connection is always wireless via Bluetooth®, starts with the transmission of the training parameters to the ergometer and ends with the transmission of the results to the selected target volume.

Smartphones or tablets can be charged inductively via the Qi system during training and training data can be displayed via a dedicated screen design. The possibilities for individual training and therapy design are thus virtually unlimited, and emotion fitness will continue to expand these possibilities in the coming years so that the training design can perfectly match your customers or patients.



motion cardio line 900

motion **cycle** 900

The bike ergometer



wide
step-through



adjustable
handlebars



motion cardio line **900 cycle** » relax » cross » body » stair » sprint

motion **cycle** 900



TECHNICAL DATA

motion **cycle 900 fit + med**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®), downward compatible
- mono-belt drive, self-adjusting
- calibrated and re-calibratable, quiet HBS brake
- side-dependent power display
- mains-independent operation
- manufactured according to
DIN EN ISO 20957-1 S-A-I,
DIN EN ISO 20957-5 S-A-I, DIN EN 60601-1-2
- medical devices certified according
to 93/42 EWG, class IIa
- medical power range: 15 - 500 watts
speed-independent
- fitness power range: 25 - 500 watts
speed-independent
- rpm range: 15 - 140 rpm
- max. user weight: 150 kg/330 lbs
- dimensions: approx. 119 x 65 x 145 cm/
46.9 x 25.6 x 57.1", approx. 58 kg/128 lbs



motion **cycle 900**

The motion cycle 900 has been completely revised from a biomechanical point of view and now meets all the requirements for an optimal, individual training position. Parallel to the changes in the monitor, the housing has been made more compact to allow for a wide step-through of approx. 36-41 cm/14.1-16.1" and a deep position of the axle for easier mounting and dismounting. Children can use the motion cycle 900 from a height of approx. 135 cm/53". The seat post has been optimised for a very wide adjustment range, which extends the user group to heights up to 205 cm/80". Whether tall or short, athlete or patient, everyone benefits from the Q-factor of no more than 18 cm/7" and the horizontal saddle adjustment. If you want to further optimise your training position, we offer the handlebar adjustment as an option. This allows the handlebars to be swivelled horizontally and vertically and thereby allows an upright or triathlon position. The technology used allows wobble-free fixation with little force.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quick start, watt training, pulse training
- interference-free Polar® heart rate indication with automatic device connection
- deep, wide step-through
- vertically and horizontally adjustable saddle

OPTIONS

- performance package (Qi charging, max. 950 watts, with power supply min. 7 watts)
- connect package for system integration (RFID, NFC, Bluetooth® Low Energy, Barcodes)
- programme package (additional programmes, test profiles, programme storage, serious games)
- „all-in-package“: performance + connect + programme package
- boosted cycle - user weight increase to max. 200 kg/440 lbs
- length-adjustable cranks, adjustable without tools
- motion easy move roller lift system
- adjustable handlebars
- housing in anthracite colour
- certification according to 93/42 EWG, class IIa

motion **relax 900**

The recumbent ergometer



Backrest
adjustment



Pedal
shoes



Swivel seat on
boosted 250 version



motion **relax 900**

motion cardio line **900** cycle » **relax** » cross » body » stair » sprint



TECHNICAL DATA

motion **relax 900 fit + med**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®) downward compatible
- mono-belt drive, self-adjusting
- calibrated and re-calibratable, quiet HBS brake
- side-dependent power display
- manufactured according to
DIN EN ISO 20957-1 S-A-I,
DIN EN ISO 20957-5 S-A-I, DIN EN 60601-1-2
- medical devices certified according to
93/42 EWG, class IIa
- medical power range: 15 - 500 watts,
rpm-independent
- fitness power range: 25 - 500 watts,
rpm-independent
- rpm range: 15 - 140 rpm
- max. user weight: 150 kg/330 lbs
- dimensions: approx. 173 x 65 x 133 cm/68.2 x
25.6 x 52.4" (L x W x H),
approx. 80 kg/176.4 lbs
- with option boosted dimensions: approx.
173 x 78 x 133 cm/68.2 x 30.7 x 52.4",
approx. 104 kg/230 lbs



motion **relax 900**

The motion relax 900 is a comfortable training device for long training sessions, for patients with neurological or orthopaedic restrictions as well as for very heavy users. The new development of this device comes along with an extended step-through and a good Q-factor. In addition, there are handles for safe mounting and dismounting and a standard backrest adjustment. In a special version (boosted 250), this unit is also available with a wider swivel seat, high armrests for easier access and a maximum user weight of 250 kg/ 551 lbs available.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quick start, watt training, pulse training
- interference-free Polar® heart rate indication with automatic device connection
- deep, wide step-through
- horizontally adjustable seat
- backrest adjustment

OPTIONS

- performance package (Qi charging possibility, max. 950 watts, with power supply min. 7 watts)
- connect package for system integration (RFID, NFC, Bluetooth® Low Energy, Barcodes)
- programme package (additional programmes, programme storage, serious games)
- „all-in-package“: performance + connect + programme package
- boosted relax 200 - user weight up to 200 kg/440 lbs
- boosted relax 250 - user weight increase up to 250 kg/551 lbs, with swivel seat
- length adjustable cranks, adjustable without tools
- pedal shoes
- casing in anthracite colour
- certification according to 93/42 EWG, class IIa

motion **cross** 900

The crosstrainer



Large,
anti-slip
footpads



motion cardio line **900** cycle » relax » **cross** » body » stair » sprint

motion **cross** 900



TECHNICAL DATA

motion **cross 900 fit + med**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®), downward compatible
- mono-belt drive, self-adjusting
- calibrated and re-calibratable, quiet HBS brake
- side-dependent power display
- mains-independent operation
- manufactured according to
DIN EN ISO 20957-1 S-A-I,
DIN EN ISO 20957-9 S-A-I, DIN EN 60601-1-2
- medical devices certified according to
93/42 EWG, class IIa
- medical & fitness power range: 100 - 500 watts
user power, speed-independent or 15 - 500
watts brake power - alternatively configurable
- rpm range: 15 - 140 rpm
- max. user weight: 150 kg/330 lbs
- dimensions: approx. 200 x 65 x 169 cm/78.8 x
25.6 x 66.6" (L x W x H), approx. 101 kg/223 lbs



motion **cross 900**

The motion cross 900 helps to get people with largely sedentary lifestyles to straighten up and move their whole body. The guided movement enables a quick and safe start the training. Long cranks and an ergonomic connection of arm and leg movement ensure a sweeping stride and a pleasant movement. A selectable rpm limit and the automatic reduction of the movement at the end of the workout ensure safety.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quick start, watt training, pulse training
- interference-free Polar® heart rate indication with automatic device connection
- low step height of approx. 17 cm/6.7"
- forward and backward movement with a stride length of 43 cm/16.9"
- large, anti-slip footpads
- rpm limiter for more safety

OPTIONS

- performance package (Qi charging option, max. 950 watt)
- connect package for system integration (RFID, NFC, Bluetooth® Low Energy, Barcodes)
- programme package (additional programmes, programme storage, serious games)
- all-in-package": performance + connect + programme package
- boosted cross - user weight increase up to 200 kg/440 lbs
- certification according to 93/42 EWG, class IIa

motion **body** 900

The upper body ergometer



Wide adjustment
of the drive unit



V-cranks,
synchronously and
asynchronously
adjustable



motion cardio line **900** cycle » relax » cross » **body** » stair » sprint

motion **body** 900



TECHNICAL DATA

motion **body 900 fit + med**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®), downward compatible
- Mono-belt drive
- calibrated and re-calibratable, quiet HBS brake
- mains-independent operation
- manufactured according to
DIN EN ISO 20957-1 S-A-I,
DIN EN ISO 20957-5 S-A-I, DIN EN 60601-1-2
- medical devices certified according to
93/42 EWG, class IIa
- medical power range: 15 - 500 watts,
rpm-independent
- fitness power range: 25 - 500 watts,
rpm-independent
- rpm range: 15 - 140 rpm
- max. user weight: 150 kg/330 lbs
- dimensions floor model:
approx. 116 x 77 x 155 cm/45.7 x 30.3 x 61.1"
(L x W x H), approx. 98 kg/216.1 lbs



motion **body 900**

The motion body 900 is an indispensable part of holistic training or comprehensive exercise therapy. This device is ideal for active work of the upper extremities. It can be used for endurance training as well as for mobilisation after joint injuries in the arm and shoulder. The large adjustment range of the drive unit allows excellent positioning of the axle height for both standing and seated training. The removable seat makes both options easy to start. The movement itself can be varied in forward and backward motion and the standard, length-adjustable crank can be switched to a synchronous, so-called handbike mode, for a completely different use of the back muscles and less rotation. The frame design allows access for many wheelchair users. If this access is not enough, an optional platform can be placed on top of the frame.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quick start, watt training, pulse training
- interference-free Polar® heart rate indication with automatic device connection
- training possible in standing or seated position (wide adjustment range & removable seat)
- bi-directional movement
- V-crank asynchronously or synchronously adjustable
- ergonomic Leki® grips with preparation for clip attachment

OPTIONS

- performance package (Qi charging possibility, max. 550 watts, with power supply from 7 watts)
- connect package for system integration (RFID, NFC, Bluetooth® Low Energy, Barcodes)
- programme package (additional programmes, programme memory)
- all-in package: performance + connect + programme package
- boosted body - user weight increase up to 200 kg/440 lbs
- certification according to 93/42 EWG, class IIa

motion **body 900 WM**

The space-saving upper body ergometer



Training on the exercise ball



Training while standing



motion **body 900 WM**

motion cardio line **900** cycle » relax » cross » **body** » stair » sprint



TECHNICAL DATA

motion **body 900 fit + med WM**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®), downward compatible
- mono belt drive
- calibrated and re-calibratable, quiet HBS brake
- mains-independent operation
- manufactured according to
DIN EN ISO 20957-1 S-A-I,
DIN EN ISO 20957-5 S-A-I, DIN EN 60601-1-2
- medical devices certified according to
93/42 EWG, class IIa
- medical power range: 15 - 500 watts,
rpm-independent
- fitness power range: 25 - 500 watts,
rpm-independent
- rpm range: 15 - 140 rpm
- dimensions wall model: approx. 63 x 56 x
155 cm/24.9 x 22.1 x 61.1" (L x H x W),
approx. 48 kg/105.9 lbs



motion **body 900 WM**

The motion body 900 WM is the wall-mounted version of our motion body. It has the same functionality, but a significantly smaller footprint, optimal wheelchair access and all the flexibility of various training positions. All you need is a solid wall.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quickstart, watt training, pulse training
- interference-free Polar® heart rate indication with automatic device connection
- training in standing or seated position
- forward and backward movement
- V-crank, asynchronous or synchronous mode
- ergonomic Leki® grips with preparation for clip attachment
- no user weight limit

OPTIONS

- performance package (Qi charging possibility, max. 550 watts, with power supply from 7 watts)
- connect package for system integration (RFID, NFC, Bluetooth® Low Energy, Barcodes)
- programme package (additional programmes, programme memory)
- „all-in-package“: performance + connect + programme package
- certification according to 93/42 EWG, class IIa

motion **stair 900**

The stair climber



Variable
step height



motion cardio line **900** cycle » relax » cross » body » **stair** » sprint

motion **stair 900**



TECHNICAL DATA

motion **stair 900 fit + med**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®), downward compatible
- pedal independent system with 32 cm max. step height
- powerful, quiet HBS brake
- mains-independent operation
- manufactured according to DIN EN ISO 20957-1 S-A-I, DIN EN ISO 20957-8 S-A-I, DIN EN 60601-1-2
- Performance range: 4 - 27 m/min sinking rate
- medical devices certified according to 93/42 EWG, class IIa
- max. user weight: 150 kg/330 lbs
- dimensions: approx. 102 x 73 x 160 cm/40.2 x 28.8 x 63" (L x W x H), approx. 79 kg/175 lbs



motion **stair 900**

The motion stair 900 completes our line of equipment. It can be used for cardiovascular and muscular as well as coordinative training. This device is the training embodiment of everyday movements, in this case climbing stairs. The pedal-independent system enables a variety of different movement amplitudes and work tasks and thus trains coordinative abilities. The newly designed shape of the handrail provides the user with more safety and extends the range of application to users with weaker coordination. Accessing is also easier and safer.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quick start, watt training, pulse training
- interference-free Polar® heart rate indication with automatic device connection
- auto-weighting-system (determination of the user weight) for correct watt and calorie display
- great variety of movements due to pedal-independent system

OPTIONS


- performance package (Qi charging option)
- connect package for system integration (RFID, NFC, Bluetooth® Low Energy, Barcodes)
- programme package (additional programmes, programme memory)
- „all-in-package“: performance + connect + programme package
- certification according to 93/42 EWG, class IIa

motion **sprint 900 SL/SE**


The lamella treadmill



Stable railing



Joint-friendly and energy-saving technology



motion cardio line **900** cycle » relax » cross » body » stair » **sprint**

motion **sprint 900 SL/SE**



TECHNICAL DATA

motion **sprint 900 SL/SE**

- 7-inch capacitive touch display
- Polar® auto connection (5kHz & Bluetooth®), downward compatible
- belt-guided lamella system
- energy-saving, brushless 1100 W DC motor
- emergency stop system with magnetic cord
- power supply: 30V/50- 60 Hz, EWG, separate fuse protection necessary
- manufactured according to DIN EN ISO 20957-1 S-A-I, DIN 957-6 S-A-I, DIN EN 60601-1-2
- Medical devices certified according to 93/42 EWG, class IIa(ii), manufactured according to EN60601-1/protection class
- Power range: 0.1-17.0 km/h
- SL models: inclination angle 0-15%, optional -3 to 12%
- running surface: approx. 155 x 50 cm
- max. user weight: 160 kg
- dimensions: approx. 173 x 76 x 145 cm, SL: approx. 177 kg, SE: approx. 156 kg



motion **sprint 900 SL/SE**

The motion sprint 900 SL/SE is a professional, very robust treadmill with lamella technology. The 60 slats are laterally mounted on ball bearings so that they can swing freely with every step. This means that the joints are optimally protected and an extremely constant speed can be realized with low motor power and thus low power consumption. Speeds as of 0.1 km/h can be realized smoothly. Up to 17.0 km/h are standardly included, a running speed of up to 22 km/h can be added by the performance package. The motion sprint 900 SE comes without adjustable inclination. The motion sprint 900 SL includes an adjustment of 0-15% or -3 to 12%. Once incline is available, pulse-controlled programmes can be either incline- or speed-controlled. To ensure similar operation, the display is uniform to the complete motion cardio line 900/900 med. The railing enables an ergonomic posture when walking, as when running, and assists in safely stepping onto the running surface. A wide range of options also make the treadmill a professional for special applications.

FUNCTIONS

- attractive, full-colour display
- durable, clean touch display
- quickstart, time training, pulse training
- interference-free Polar® heart rate display with automatic pairing
- low-maintenance, energy-saving slat technology
- running surface easy on the joints
- speeds adjustable in 0.1 km/h steps
- 5 years or 160,000 km warranty on the slat belt

OPTIONS

- performance package (Qi charging option, max 22km/h)
- connect package for system integration
- program package (additional programs, program memory (from Q4/22))
- „all-in-package“: performance + connect + programme package
- boosted sprint SE - user weight increase to 250 kg
- running direction reversal
- bar railing
- underarm supports for children or adults
- holder for personal safety
- Certification according to 93/42 EWG, class IIa